



Enhanced Reference List of Cochrane Review Titles

Selected by the Cochrane Neurological Network
Registered within the Cochrane Collaboration from January 2001 through May 2005

This database of **COCHRANE REVIEW TITLES** contains titles - in alphabetical order - of reviews - *of neurological interest* - registered within the Cochrane Collaboration. The standard path for registering a systematic review is the registration of the title, the submission of the protocol and, finally, the completed review.

They are divided by disease category according to the Index of Diseases created and maintained by the Cochrane Neurological Network.

See the Index of Diseases - in alphabetical order - with the corresponding number of titles that can be found in this list.

(Last update: 01 June 2005)

Index of Diseases

ACQUIRED METABOLIC DISORDERS (2)	MIGRAINE AND HEADACHE (9)
ALCOHOL AND ALCOHOLISM (1)	MOTOR NEURON DISEASES (2)
BACK (3)	MOVEMENT DISORDERS (16)
BRAIN AND SPINAL CORD TUMORS (10)	NEUROLOGICAL SERVICES (0)
BRAIN AND SPINAL INJURIES (11)	NEUROMUSCULAR DISORDERS (9)
CEREBROVASCULAR DISEASE - ACUTE TREATMENT (14)	NEUROSURGERY (4)
CEREBROVASCULAR DISEASE - PREVENTION (8)	NUTRITIONAL DEFICIENCY DISORDERS (0)
CEREBROVASCULAR DISEASE-Rehabilitation/Post Acute (11)	PAIN (17)
CSN AND SPINAL INFECTIONS (8)	PERIPHERAL and CRANIAL NERVES NEUROPATHIES (12)
DEMENTIA (16)	RARE AND HEREDITARY DISEASES (2)
DEMYELINATING DISEASES (7)	SLEEP DISORDERS (10)
EPILEPSY (12)	SUBARACHNOID HAEMORRHAGE (1)
INTENSIVE CARE AND PALLIATIVE CARE (3)	SYMPTOMATIC TREATMENT (26)
INTOXICATIONS AND POISONINGS (3)	OTHERS (6)

ACQUIRED METABOLIC DISORDERS

Antibiotics for hepatic encephalopathy
Tao Pan, China; **Hepato-Biliary Group**

L-ornithine-L-aspartate for hepatic encephalopathy
Guo Zhen, China; **Hepato-Biliary Group**

ALCOHOL and ALCOHOLISM

Selective serotonin reuptake inhibitors for alcohol use disorders
Shand Fiona, Australia; **Drugs and Alcohol Group**

BACK

Chiropractic interventions for low-back pain
Simon French, Australia; **Back Group**

Local anesthetic at the iliac crest donor site for post-operative pain management in spine surgery patients
Dino Samartzis, USA; **Back Group**

Non-pharmacological, active treatment modalities for sciatica
Albert Hanne, Denmark; **Back Group**

BRAIN and SPINAL CORD TUMOURS

Carmustine implants for malignant gliomas
Tremont-Lukats Ivo, USA; **Gynaecological Cancer Group**

Chemotherapy versus no chemotherapy for children with medulloblastoma
Erna Michiels, Belgium; **Gynaecological Cancer Group**

Dopamine agonists for prolactin-secreting pituitary adenomas
Thiele Iris, UK ; **Metabolic and Endocrine Disorders Group**

Gene therapy plus standard care versus standard care alone for malignant brain tumours
Unger Stefan, UK; **Gynaecological Cancer Group**

Interventions for childhood retinoblastoma
Suzanne Hartley, UK; **Eyes and Vision Group**

Octreotide for non-functioning pituitary adenoma
Salem Alsuwaidan, Saudi Arabia; **Metabolic and Endocrine Disorders Group**

Optimal management for low-grade and anaplastic oligodendrogliomas
Bassam Abdulkarim, Canada; **Gynaecological Cancer Group**

Radiation therapy for optic nerve sheath meningioma
Satyanarayana Swaroop Vedula, USA; **Eyes and Vision Group**

Radiosurgery and whole-brain radiation therapy versus radiosurgery alone for brain metastases
Kumar Sachin, USA; **Gynaecological Cancer Group**

Re-irradiation for malignant glioma
Pervez Nadeem, Ireland; **Gynaecological Cancer Group**

BRAIN and SPINAL INJURIES

Antibiotics for prevention of infection follow cerebrospinal fluid rhinorrhea
Balakrishnan K, UK; **Injuries Group**

Bicycle helmet legislation for preventing head injury in child cyclists
Anneliese Spinks, Canada; **Injuries Group**

CDP-choline for acute traumatic brain injury
Pokkunuri Venkata, UK; **Injuries Group**

Driver improvement programmes for the prevention of road traffic crashes
Ker Katharine, UK; **Injuries Group**

Helmet legislation for preventing head injuries in cyclists
Macpherson Alison, Canada; **Injuries Group**

Interventions for the management of spinal cord injury pain
Ahmed Sayeed, UK; **Pain, Palliative and Supportive Care Group**

Magnesium for acute traumatic brain injury
Miguel Arango, Canada; **Injuries Group**

Music therapy for acquired brain injury
Wendy Magee, UK; **Injuries Group**

Red light cameras for the prevention of road traffic crashes
Aeron-Thomas Amy, UK; **Injuries Group**

Steroids for traumatic optic neuropathy
Patrick Yu Wai Man, UK; **Eyes and Vision Group**

Vocational rehabilitation for acquired brain injury in adults
Ajoy Nair, UK; **Injuries Group**

CEREBROVASCULAR DISEASE - ACUTE TREATMENT

Ahylysantinfarctase for acute ischaemic stroke
Lingjun Meng, China; **Stroke Group**

Chuanxiong-type preparation for acute stroke
Na You, China; **Stroke Group**

Clomethiazole for acute stroke
Kavvadia Elena; **Stroke Group**

Didang tang for acute ischaemic stroke
Kejian Li, China; **Stroke Group**

GABA-ergic agents for acute stroke
Wahlgren Nils, Sweden; **Stroke Group**

Haemostatic drug therapies for intracerebral haemorrhage
Rustam Al-Shahi, UK; **Stroke Group**

Interventions for controlling serum glucose in acute ischaemic stroke
Stead Latha, USA; **Stroke Group**

Interventions for mechanical clot removal in acute ischaemic stroke
Stead Latha, USA; **Stroke Group**

Naftidrofuryl for acute stroke
Bath Fiona, UK; **Stroke Group**

Qingkailing injection for acute stroke
Lihong Ma, China; **Stroke Group**

Opiate antagonists for acute ischaemic stroke
Qingwei Yang, China; **Stroke Group**

Pre-hospital emergency pathways for people with suspected stroke
Marica Ferri, Italy; **Effective Practice and Organisation of Care Group**

Sanchi for acute ischaemic stroke
Li He, China; **Stroke Group**

Telemedicine for assessing and managing acute stroke
Zhou Likun, China; **Stroke Group**

CEREBROVASCULAR DISEASE – PREVENTION

Antithrombin for the prevention of intraventricular hemorrhage in preterm infants
Dirk Bassler, Canada; **Neonatal Group**

Beta blockers for preventing vascular events after stroke
Chowdhury Debashish, India; **Stroke Group**

Blood pressure lowering for secondary prevention of stroke
Rodgers Anthony, New Zealand; **Stroke Group**

Carotid endarterectomy for carotid stenosis in patients selected for coronary artery bypass graft
Sara Mortaz Hejri, Iran; **Stroke Group**

Chuanxiong type compounds for preventing stroke
Taixiang Wu, China; **Stroke Group**

Non-steroidal treatment for giant cell arteritis
Levin Len, USA; **Eyes and Vision Group**

Oral or sublingual channel blockers calcium or angiotensin converting enzyme inhibitors for hypertensive urgencies
Mendez Souza Luciana, Brazil; **Hypertension Group**

Standard heparin, heparinoids, or low molecular weight heparin for preventing deep vein thrombosis in primary intracerebral haemorrhage
Chiodo Grandi F, Italy; **Stroke Group**

CEREBROVASCULAR DISEASE – REHABILITATION / POST ACUTE

Acupuncture for urinary retention and urinary incontinence after stroke
Liu Huilin, China; **Incontinence Group**

Antiepileptic drugs for preventing seizures after stroke or subarachnoid haemorrhage
Celani Maria Grazia, Italy; **Stroke Group**

Cognitive rehabilitation for attention deficits following stroke
Lincoln Nadia, UK; **Stroke Group**

Early versus late shunting for post-haemorrhagic ventricular dilatation in preterm infants
Hunt Rod, Australia; **Neonatal Group**

Home versus hospital management for mild strokes
Álvaro Luis-Carlos, Spain; **Stroke Group**

Late therapy-based rehabilitation for patients after stroke
Walker Marion, UK; **Stroke Group**

Mental practice for treating upper extremity deficits in individuals with hemiparesis from stroke
Stevenson Ted, Canada; **Stroke Group**

Nimodipine for treating vascular dementia in patients with cerebrovascular disease
Ricci Stefano, Italy; **Stroke Group**

Pharmacological interventions for treating spasticity in stroke patients
Kafetz Kalman, UK; **Stroke Group**

Psychological therapies for preventing depressive disorders following stroke
Maree Hackett, New Zealand; **Stroke Group**

Psychological therapies for treating depression following stroke
Maree Hackett, New Zealand; **Stroke Group**

CNS and SPINAL INFECTIONS

Chronic suppressive anti-fungal therapy for cryptococcal meningitis in patients with HIV/AIDS
Navin Paul, India; **HIV/AIDS Group**

Corticosteroids for treating nerve damage in leprosy
Natasja van Veen, Netherlands; **Neuromuscular Disease Group**

Drugs for treating second stage human African trypanosomiasis
Vittoria Lutje, UK; **Infectious Diseases Group**

Drug interventions for treatment of lipodystrophy in patients with HIV infection
Liat Vidal, Israel; **HIV/AIDS Group**

Interventions for the control of muscle spasms in tetanus
Okoromah Christy, Nigeria; **Neonatal Group**

Mannitol and other osmotic diuretics as adjuncts for treating cerebral malaria
C Okoromah, Nigeria; **Infectious Diseases Group**

Prophylaxis for toxoplasmic encephalitis in HIV-infected individuals
Mittal Seema, USA; **HIV/AIDS Group**

Treatment for HIV neuropathy
Fialho Doreen, UK; **Neuromuscular Disease Group**

DEMENTIA

α -carotene and vitamin C for cognitive function of older people with and without dementia
Saini Nicky, UK; **Dementia & Cognitive Improvement Group**

Art therapy for dementia
Mottram Pauline, UK; **Dementia & Cognitive Improvement Group**

Benzodiazepines for agitation in dementia
Balakrishnar Manivannan, UK; **Dementia & Cognitive Improvement Group**

Clioquinol for Alzheimer's disease
Jenagaratnam Lydia, UK; **Dementia & Cognitive Improvement Group**

Cognitive psychostimulation for Alzheimer's disease
Fernandez Manuel, Spain; **Dementia and Cognitive Improvement Group**

Driving assessment for maintaining mobility in drivers with dementia
Allen Martin, Ireland; **Dementia & Cognitive Improvement Group**

Huperzine-A for Alzheimer's disease
Hongmei Wu, China; **Dementia & Cognitive Improvement Group**

Interventions for wandering in the domestic setting in people with dementia
Grimley Evans John, UK; **Dementia and Cognitive Improvement Group**

Neotrofin for dementia
Bullock Roger, UK; **Dementia & Cognitive Improvement Group**

Non-pharmacological interventions for to prevent wandering in people with dementia in the domestic setting
Grimley Evans J, UK; **Dementia & Cognitive Improvement Group**

Omega 3 fatty acids for the management of dementia
Wee Shiong, Singapore; **Dementia & Cognitive Improvement Group**

Omega 3 fatty acids for the prevention of dementia
Wee Shiong, Singapore; **Dementia & Cognitive Improvement Group**

Omega 3 Fish Oils for cognitive impairment and dementia
Michael-Titus Adina, UK; **Dementia & Cognitive Improvement Group**

Pharmaceutical interventions for frontotemporal dementia
Clement Loy, Australia; **Dementia & Cognitive Improvement Group**

Psychosocial interventions for early stage dementia
Scott Julie, UK; **Dementia and Cognitive Improvement Group**

Respite care for carers of people with dementia
Cameron Michelle, USA; **Dementia & Cognitive Improvement Group**

DEMYELINATING DISEASES

Corticosteroids or ACTH for the long-term treatment in multiple sclerosis
Alfonso Ciccone, Italy; **Multiple Sclerosis Group**

Corticosteroids for acute transverse myelitis in children
Kingi Aminu, UK; **Multiple Sclerosis Group**

Information for multiple sclerosis patients and their caregivers
Cirrincione Rosalia, Italy; **Multiple Sclerosis Group**

Interferon for the first episode suggestive of multiple sclerosis
Luca Durelli, Italy; **Multiple Sclerosis Group**

Interventions for improving communication in people with multiple sclerosis
Cavara Maria Luisa, Italy; **Multiple Sclerosis Group**

Natalizumab for relapsing remitting multiple sclerosis
Christopher Mc Guigan, UK; **Multiple Sclerosis Group**

Recombinant Interferons for secondary progressive multiple sclerosis
Filippini Graziella, Italy; **Multiple Sclerosis Group**

EPILEPSY

Antiepileptic drugs versus no treatment or placebo for children with benign rolandic epilepsy with centro temporal spikes
de Goede Christian, UK; **Epilepsy Group**

Antipsychotic medication for those with both epilepsy and psychosis
McConnell Harry, UK; **Schizophrenia Group**

Hormonal treatments for catamenial epilepsy
Duncan Susan, UK; **Epilepsy Group**

Interventions for late neonatal hypocalcemic seizures
Mudit Kumar, UK; **Neonatal Group**

Interventions for psychotic symptoms concomitant with epilepsy
Saaed Farooq, Pakistan; **Epilepsy Group**

Magnetoencephalography versus electroencephalography for seizure localization in people with epilepsy
Zuchun Huang, China; **Epilepsy Group**

Non-pharmacological interventions for epilepsy in learning disability
Michael Kerr, UK; **Epilepsy Group**

Oxcarbazepine versus carbamazepine monotherapy for partial onset seizures
Simon Nicolas, France; **Epilepsy Group**

Pharmacological interventions for epilepsy in learning disability
Kerr Michael, UK; **Epilepsy Group**

Pregabalin for drug-resistant partial epilepsy
Dora Lozsadi, UK; **Epilepsy Group**

Sub pial transections for epilepsy
Zafar Muhammed, UK; **Epilepsy Group**

Topiramate versus carbamazepine monotherapy for epilepsy
Ziyi Chen, China; **Epilepsy Group**

INTENSIVE CARE and PALLIATIVE CARE

Cerebral protection for the perioperative period
Hack Marianne, Australia; **Anaesthesia Group**

Intravenous lipid emulsions for critically ill patients
Naylor Carlie, Australia; **Anaesthesia Group**

Pharmacologic therapies for perioperative cerebral protection
Bilotta Federico, Italy; **Anaesthesia Group**

INTOXICATIONS and POISONINGS

Anticholinesterases for neurotoxic snake envenoming
Nicholson Robert, USA; **Pain, Palliative and Supportive Care Group**

Cognitive and behavioural interventions for dependent opiate users in pharmacotherapy maintenance treatment
Nicole Lee, Australia; **Drugs and Alcohol Group**

Sodium bicarbonate for organophosphorous pesticide poisoning
Darren Roberts, Australia; **Injuries Group**

MIGRAINE and HEADACHE

Botulinum toxin for the prevention of migraine and tension type headache
Chankrachang Siwaporn, Thailand; **Pain, Palliative and Supportive Care Group**

Chinese medicinal herbs for migraine
Zhou Likun, China; **Pain, Palliative and Supportive Care Group**

Corticosteroids by injection for the prevention of relapse of acute migraine
Colman Ian, Canada; **Pain, Palliative and Supportive Care Group**

Dipyron for acute primary headaches
Ramacciotti Adriana, Brazil; **Pain, Palliative and Supportive Care Group**

Frovatriptan for acute migraine in adults
Aguiar-Ibanez Raquel, Spain; **Pain, Palliative and Supportive Care Group**

Intranasal DHE for acute migraine
Lari Harris, Canada; **Pain, Palliative and Supportive Care Group**

Muscle relaxants for tension-type headache
Juan Aponte Salamanca, Colombia; **Pain, Palliative and Supportive Care Group**

Parenteral phenothiazines (chlorpromazine, prochlorperazine) for acute migraine
Ayan Sen, UK; **Pain, Palliative and Supportive Care Group**

Riboflavin (vitamin B2) for the prevention of migraine
Frank Domino, USA; **Pain, Palliative and Supportive Care Group**

MOTOR NEURON DISEASES

Methods for informing people with amyotrophic lateral sclerosis/motor neuron disease of their diagnosis
Paolo Bongioanni, Italy; **Neuromuscular Disease Group**

Percutaneous endoscopic gastrostomy for amyotrophic lateral sclerosis/motor neuron disease
Langmore Susan, USA; **Neuromuscular Disease Group**

MOVEMENT DISORDERS

Anticholinergics for cervical dystonia
Ferreira Joaquim, Portugal; **Movement Disorders Group**

Anticholinergics for neuroleptic induced parkinsonism
Lawson Fabio, Brazil; **Schizophrenia Group**

Anticonvulsant medications for restless legs syndrome
Joaquim Ferreira, Portugal; **Movement Disorders Group**

Benzodiazepines for restless legs syndrome
Joaquim Ferreira, Portugal; **Movement Disorders Group**

Botulinum toxin type A for writer's cramp
Ferreira Joaquim, Portugal; **Movement Disorders Group**

Botulinum toxin type A versus surgery for hemifacial spasm
Ferreira Joaquim, Portugal; **Movement Disorders Group**

Dopamine agonists for restless legs syndrome
Bernier Michael, Germany; **Movement Disorders Group**

Opioids for restless legs syndrome
Joaquim Ferreira, Portugal; **Movement Disorders Group**

Levodopa for idiopathic restless legs syndrome
Bernier Michael, Germany; **Movement Disorders Group**

Multidisciplinary teams for Parkinson's disease
Katherine Deane, UK; **Movement Disorders Group**

Pharmacological interventions for modifying the progression of Huntington's disease
Mestre Tiago, Portugal; **Movement Disorders Group**

Pharmacological interventions for symptomatic treatment of Huntington's disease
Mestre Tiago, Portugal; **Movement Disorders Group**

Pharmacological interventions for the treatment of orthostatic hypotension in Parkinson's disease
Ferreira Joaquim, Portugal; **Movement Disorders Group**

Surgery for hemifacial spasm
Ferreira Joaquim, Portugal; **Movement Disorders Group**

Surgical treatment for the thumb-in-palm deformity in Parkinson's disease
Smeulders Mark, Netherlands; **Movement Disorders Group**

Treatments for essential tremor
He Li, China; **Movement Disorders Group**

NEUROLOGICAL SERVICES

No Titles

NEUROMUSCULAR DISORDERS

Aminoglycosides for treating Duchenne and Becker muscular dystrophy
Jacinda Sampson, USA; **Neuromuscular Disease Group**

Cough augmentation for respiratory muscle weakness in neuromuscular disease
Eagle Michelle, UK; **Neuromuscular Disease Group**

Interventions for preventing and treating cardiac complications in Duchenne and Becker muscular dystrophy

Bourke John, UK; **Neuromuscular Disease Group**

Myoblast transfer treatment for Duchenne muscular dystrophy
Zhou Hongyu, China; **Neuromuscular Disease Group**

Non-depolarising muscle relaxants for myasthenic patients undergoing transternal thymectomy
Escobar Idoris, Cuba; **Anaesthesia Group**

Respiratory muscle training for respiratory muscle weakness in neuromuscular disease
Eagle Michelle, UK; **Neuromuscular Disease Group**

Spinal surgery for scoliosis in patients with Duchenne muscular dystrophy
Daniel Ka Leung Cheuk, Hong Kong; **Neuromuscular Disease Group**

Treatment for Charcot-Marie-Tooth disease
Stögbauer Florian, Germany; **Neuromuscular Disease Group**

Treatment for ocular myasthenia gravis
Michael Benatar, USA; **Neuromuscular Disease Group**

NEUROSURGERY

Antibiotic prophylaxis for intracranial ventricular shunts
Oliveira Ratilal Bernardo, Portugal; **Anaesthesia Group**

Antibiotics for prevention of infection in patients with CSF rhinorrhoea
Aparna Katari, UK; **Ear, Nose and Throat Disorders Group**

Endoscopic third ventriculostomy versus conventional ventriculo peritoneal shunting for the treatment of hydrocephalus
Portillo Santiago, Argentina; **Multiple Sclerosis Group**

Programmable shunt devices for the treatment of hydrocephalus
Emilce Vicentin, Argentina; **Multiple Sclerosis Group**

NUTRITIONAL DEFICIENCY DISORDERS

No Titles

PAIN

Ablative neurosurgical techniques for the treatment of trigeminal neuralgia
Benjamin Lopez, UK; **Neuromuscular Disease Group**

Antidrepressant drugs for neuropathic pain
Saarto Tiina, Finland, Pain; **Palliative and Supportive Care Group**

Corticosteroids versus antiviral treatments for the prevention of post-herpetic neuralgia
Ennes Sandra, UK; **Neuromuscular Disease Group**

Epidural steroids for radicular pain
Cossins Linda, UK; **Pain Palliative and Supportive Care Group**

Interventions for managing 'growing pains' in children
Evans Angela, Australia; **Pain, Palliative and Supportive Care Group**

Lamotrigine for acute and chronic pain
Wiffen Philip, UK; **Pain, Palliative and Supportive Care Group**

Methadone for chronic non-malignant pain
Jackson Kenneth, USA; **Pain, Palliative and Supportive Care Group**

Opioids for neuropathic pain
Ewan McNicol, USA; **Pain, Palliative and Supportive Care Group**

Opioids for the management of episodic (breakthrough) pain
Zeppetella Giovanbattista, UK; **Pain, Palliative and Supportive Care Group**

Oral opioids for chronic non-cancer pain
Lorente Lluís, Spain; **Pain, Palliative and Supportive Care Group**

Posterior fossa microsurgery for the treatment of trigeminal neuralgia
Benjamin Lopez, UK; **Neuromuscular Disease Group**

Psychological therapies for chronic pain (excluding headache) in adults
Eccleston Christopher, UK; **Pain, Palliative and Supportive Care Group**

Relaxation techniques for the relief of chronic pain
Edwards Jane, Ireland; **Pain, Palliative and Supportive Care Group**

Rubefacients for acute and chronic pain
Mason Lorna, UK; **Pain, Palliative and Supportive Care Group**

Topical capsaicin for acute and chronic pain
Mason Lorna, UK; **Pain, Palliative and Supportive Care Group**

Topical non-steroidal anti-inflammatory drugs (NSAIDs) for acute and chronic pain
Mason Lorna, UK; **Pain, Palliative and Supportive Care Group**

Visual analogue scales versus verbal rating scales for the effective management of pain
Gibbons Elizabeth, UK; **Pain, Palliative and Supportive Care Group**

PERIPHERAL and CRANIAL NERVES NEUROPATHIES

Acupuncture for diabetic peripheral neuropathy
Ting Zhao, China; **Neuromuscular Disease Group**

Alpha-lipoic acid for diabetic peripheral neuropathy
Nasir Mirza, UK; **Neuromuscular Disease Group**

Chinese medicinal herbs for diabetic peripheral neuropathy
Haiyan Jia, China; **Neuromuscular Disease Group**

Decompressive surgery of lower limbs for symmetrical peripheral neuropathy
Vinay Chaudhry, USA; **Neuromuscular Disease Group**

Glycaemic control for preventing and treating diabetic neuropathy
Boulton Andrew, UK; **Neuromuscular Disease Group**

Occupational therapy and physiotherapy for rehabilitation following carpal tunnel surgery
O'Connor Denise, Australia; **Neuromuscular Disease Group**

Physical therapy for Bell's palsy
Teixeira Lázaro, Brazil; **Neuromuscular Disease Group**

Prochlorperazine for the treatment of Ménière's disease or syndrome
Kelly MacDonald, UK; **Ear, Nose and Throat Disorders Group**

Prostaglandin E1 for diabetic peripheral neuropathy
Taixiang Wu, China; **Neuromuscular Disease Group**

Rehabilitation for brachial plexus palsy
Disler Peter, Australia; **Neuromuscular Disease Group**

Treatment for IgG and IgA paraproteinanaemic demyelinating neuropathy
Allen David, UK; **Neuromuscular Disease Group**

Treatment for non-systemic vasculitic neuropathy
AFJE Vrancken, Netherlands; **Neuromuscular Disease Group**

RARE AND HEREDITARY DISEASES

Aerobic exercise training programmes for improving physical and psychosocial health in adults with Down syndrome
Regis Andriolo, Brazil; **Developmental, Psychosocial and Learning Problems Group**

Prenatal repair for spina bifida
Merrey Chelsie, Australia; **Pregnancy and Childbirth Group**

SLEEP DISORDERS

Acupuncture for insomnia
Daniel Cheuk, Hong Kong; **Depression Anxiety & Neurosis Group**

Antidepressants for sleep disorders in people over 65 without dementia
Cordon Ferran, Spain; **Developmental, Psychosocial and Learning Problems Group**

Anti-histamines for sleep disorders in people over 65 without dementia
Cordon Ferran, Spain; **Developmental, Psychosocial and Learning Problems Group**

Benzodiazepines for sleep disorders in people over 65 without dementia
Cordon Ferran, Spain; **Developmental, Psychosocial and Learning Problems Group**

Imidazopyridines and pyrazolopyrimidine for sleep disorders in people over 65 without dementia
Cordon Ferran, Spain; **Developmental, Psychosocial and Learning Problems Group**

Media-based behavioural and cognitive behavioural treatments for insomnia
Danielle Dunne, UK; **Depression Anxiety & Neurosis Group**

Melatonin for insomnia
Fernando Tony, New Zealand; **Depression Anxiety & Neurosis Group**

Melatonin for sleep disorders in children and young people with developmental disorders or blindness
J Perlman, USA; **Developmental, Psychosocial and Learning Problems Group**

Melatonin for sleep disorders in people over 65 without dementia
Cordon Ferran, Spain; **Developmental, Psychosocial and Learning Problems Group**

Novel hypnotics (zopiclone, zolpidem, zaleplone) for primary insomnia
Riemann Dieter, Germany; **Depression Anxiety & Neurosis Group**

SUBARACHNOID HAEMORRHAGE

Tirilazad for aneurysmal subarachnoid hemorrhage
Liu Ming, China; **Stroke Group**

SYMPTOMATIC TREATMENT

Acupuncture for cerebral palsy
Jing He, China; **Movement Disorders Group**

Acupuncture for chronic fatigue syndrome
Zhang Wei, China; **Depression Anxiety & Neurosis Group**

Acupuncture for erectile dysfunction
Jianping Liu, China; **Prostatic Diseases and Urologic Cancers Group**

Acupuncture for tinnitus
Jongbae Park, USA; **Ear, Nose and Throat Disorders Group**

Anal tampons for containing faecal incontinence in adults
Marije Deutekom, Netherlands; **Incontinence Group**

Anticholinergic drugs versus other medications for urinary incontinence in adults
Dublin Norman, UK; **Incontinence Group**

Anticholinergic drugs versus non - drug active therapies for urinary incontinence in adults
Kate Patrick, UK; **Incontinence Group**

Antidepressants and psychotherapy alone and in combination for chronic fatigue syndrome in adolescents
Love Sam, UK; **Depression Anxiety & Neurosis Group**

Benzodiazepines for delirium
Ted Lonergan, USA; **Dementia & Cognitive Improvement Group**

Botox injections for overactive bladder
Jim Duthie , New Zealand; **Incontinence Group**

Botulinum toxin for the treatment of drooling
Gadkary Chirag, USA; **Movement Disorders Group**

Chinese traditional medicine for chronic fatigue
Denise Adams, Canada; **Depression Anxiety & Neurosis Group**

Clean versus sterile catheterisation for management of incomplete bladder emptying
Katherine Moore, Canada; **Incontinence Group**

Injectables for urinary and faecal incontinence
Reaper Jackie, UK; **Incontinence Group**

Masking devices for tinnitus
Jonathan Hobson, UK; **Ear, Nose and Throat Disorders Group**

Medical management for nocturia in adults
Abrams Paul, UK; **Incontinence Group**

Multidisciplinary team interventions for prevention of delirium
Najma Siddiqi, UK; **Dementia & Cognitive Improvement Group**

Non manual bladder stimulation for neurogenic bladder
McLeod Margaret Ann, UK; **Incontinence Group**

Olanzapine for delirium
Ted Lonergan, USA; **Dementia & Cognitive Improvement Group**

Pharmacotherapy for bruxism
Cristiane Macedo, Brazil; **Movement Disorders Group**

Quetiapine for delirium
Ted Lonergan, USA; **Dementia & Cognitive Improvement Group**

Risperidone for delirium
Ted Lonergan, USA; **Dementia & Cognitive Improvement Group**

Tadalafil for erectile dysfunction
Prathap Tharyan, India; **Prostatic Diseases and Urologic Cancers Group**

Tinnitus retraining therapy (TRT) for tinnitus
Greimel Karoline, Austria; **Ear, Nose and Throat Disorders Group**

Vestibular sedatives for the treatment of acute vertigo in adults
Kelly MacDonald, UK; **Ear, Nose and Throat Disorders Group**

Which anticholinergic drug for urinary incontinence in adults
Gaye Ellis, UK; **Incontinence Group**

OTHERS

Cognition based approaches for healthy elderly people
Clare Linda, UK; **Dementia & Cognitive Improvement Group**

Early developmental intervention programs post hospital discharge for reducing motor and cognitive impairments in preterm infants
Spittle Alicia, Australia; **Neonatal Group**

Interventions with goal setting for rehabilitation in older people living in the community
Peri Kathy, New Zealand; **Consumers & Communication Group**

Intravenous lipid emulsions for patients needing total parenteral nutrition
Ayan Sen, UK; **Anaesthesia Group**

Physical restraint for preventing falls and injury in hospitalised older adults
Andrea Franca, Brazil; **Musculoskeletal Injuries Group**

Urinary catheter washout policies for prevention of infection for long-term voiding problems in adults
Mooney John, UK; **Incontinence Group**